

Product Fiche

The basic information

Model: outdoor unit: [2AMW42U4RGC](#) ; indoor unit: [HB25XU0AG;HB25XU0AG](#);

Manufacturer7 Address:Hisense (Guangdong) Air Conditioning Co., Ltd.No.8 Hisense Road,Advanced Manufacturing Jiangsha Demonstration Park,Jiangmen City , Guangdong Province,P.R.China.

Sound power level(indoor unit / outdoor unit): [57/58](#) dB(A);

Refrigerant: [R32](#) ;

Refrigerant leakage contributes to climate change. Refrigerant with lower global warming potential (GWP) would contribute less to global warming than a refrigerant with higher GWP, if leaked to the atmosphere. This appliance contains a refrigerant fluid with a GWP equal to [675](#). This means that if 1 kg of this refrigerant fluid would be leaked to the atmosphere, the impact on global warming would be [675](#) times higher than 1 kg of CO₂, over a period of 100 years.

Never try to interfere with the refrigerant circuit yourself or disassemble the product yourself and always ask a professional.

Cooling mode

SEER: [7,5](#) ;

Energy efficiency class: [A++](#) ;

Pdesignc: [4,2](#) kW;

Energy consumption [196](#) kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

Heating mode

Climate type: [Average](#) ;

SCOP: [4,2](#) ;

Energy efficiency class: [A+](#) ;

Pdesignh: [3,5](#) kW;

Energy consumption [1167](#) kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: [NA](#) kW.

Climate type: [Warmer](#) ;

SCOP: [5,1](#) ;

Energy efficiency class: [A+++](#) ;

Pdesignh: [3,5](#) kW;

Energy consumption [961](#) kWh per year, based on standard test results. Actual energy consumption will depend on how the appliance is used and where it is located.

The back up heating capacity for calculation of SCOP at reference design condition: [NA](#) kW.